

#6854

THE FOLLOWING LIST DESCRIBES ALL COMPONENTS USED FOR THIS CHASSIS

DIMENSIONS AND WEIGHTS FOR THE ENTIRE ORDER ARE STATED IN CUSTOMARY.

APPLICATION			
COMMODITY HAULED	0091070	CONSTRUCTION MATERIALS	
INTENDED SERVICE	0093020	TANKER, LIQUID BULK	
BODY			
BODY TYPE	0095150	TANK	
BODY LENGTH	216.00 IN	BODY HEIGHT	162.00 IN
		MAX LADEN WEIGHT	5000.00 LBS
TRAILER			
TRAILER TYPE			
TRAILER LENGTH	.00 FT	TRAILER HEIGHT	.00 FT
KINGPIN	.00 IN	CTR LINE AXLE GRP	.00 IN
CORNER RADIUS	.00 IN	NO TRAILER AXLES	.00
OPERATING AREA RESTRICTIONS			
LENGTH	40.00 FT	WIDTH	102.00 IN
		HEIGHT	13.50 FT
CHASSIS			
FRONT AXLE LOAD	14600.00 LBS	REAR AXLE LOAD	40000.00 LBS
		GCW	60000.00 LBS
WHEELBASE	190.00 IN	FAX/BCC	69.80 IN
		CAB/AXLE	120.20 IN
CAB/EOF	195.00 IN	MAXIMUM GRADE	06 PERCENT
		HIGHWAY	095
			% CLASS B 005
			% CLASS C 000
			% CLASS D 000

WB. 190

120.2
CA

1 102X24-6"X60 FLAT BED
7GA RAILS / 12" CENTER X-BARS /4" STRUCTURAL
CHANNEL EVERY 2-XBARS
1 1/8 SHIPLAP FLOOR
60" 1/2 & 1/2 HEADBOARD
FLUSH BUMPER
ROPE HOOKS
LEGAL LIGHTS
1 PAINT
MFG BY PETERBUILT
MFG DATE 11/06
GVWR 54600
VIN#2NPLLDGX27M666214
CA ST

BASE MODEL

MODEL 335 MEDIUM DUTY P 9,621

FRAME AND EQUIPMENT

10-5/8" STL RAILS/STL XMBS 278-326"	P		516
3/4 LENGTH STEEL INNER LINER EOF	P		591
USE W/10-1/2, 10-3/4, 10-5/8" RAILS			
190" WHEELBASE	P	0	0
THREE-PIECE CROSSMEMBERS	P		0
HUCKBOLT ALL ACCESSIBLE FRM COMPONENTS EXCEPT EOF XMBR	P	0	0
EOF SQUARE W/O XMBR	P	0	0
USE WITH BODY BUILDER INSTALLED XMBR			
OMIT RR MUFLAPS & HANGERS	P	0	0
PBILT FRT WHEEL MUFLAPS	P	0	0
* HENDRICKSON SUSP & 14.6 FRONT AXLE REQUIRES 3/4 LINER. DLR INFORMED & APPROVED.			

FRONT AXLE AND EQUIPMENT

DANA SPC E1462I 14,600 LB	U		256
11-1/4IN BOLT CIRCLE			
TAPER LEAF SPRGS W/SHKS 14,600 LBS	U	0	0
USE WITH 14,600 LB FRONT AXLES			
POWER STEERING TRW TAS85	U	0	0
USE WITH 13,200-14,600 LB AXLES			
PWR STRG RES FRAME MTD	U	0	0
USE WITH 8-14,600 LB FRONT AXLES			
PHP10 IRON HB, CAST DRUM, 16.5X5 CAM BRKS	U		99
LMS HUBS, 13,200-14,600 LB			
C/RAWHIDE SCOTSEAL PLUS XL OIL SEALS	U	0	0
SINGLE STEER AXLE			
HALDEX / DANA AUTO SLACK ADJUSTERS	U	0	0
X-LONG STUDS FOR STEEL WHEELS	U	16	0
OR LATER INSTALLATION F/O ALUM WHEELS			

REAR AXLE AND EQUIPMENT

DANA SPC DSP41P 40,000 LB	U		2,185
PHP10 IRON HB/CAST DRMS/16.5X7 CAM BRKS	U	0	0
TANDEM AXLES, 46,000 LB MAX HUB RATING, MGM TR 3030" PKG BRKS BOTH AXLE	U	0	0
HALDEX / DANA AUTO SLACK ADJUSTERS	U	0	0
TANDEM AXLES			
STANDARD OIL SEALS TDM AXLE	U	0	0
DANA SPC FULL LOCK DIFF LOCK BOTH AXLE 40-45,000 LB	U		37

OPTIONAL LONGER STUDS FOR HUB PILOTED	U		0
WHEEL SYSTEMS			
TANDEM DRIVE AXLE (MODEL 335)	U	0	0
MERITOR Q+ 16.5X7 CAM BRKS TDM AXLE	U		24
BENDIX 4S4M ABS W/SBM VLV	P	0	0
SYNTHETIC AXLE LUBRICANT ALL AXLE	U	0	0
RATIO 5.29 RR AXLE	P	0	0
HEND RT-403 40,000 LBS	U		1,014
ENGINE AND ENGINE EQUIPMENT			
C7 275/2400 275@2200 860@1440	U		35-
P002 74....MAX VEHICLE SPEED LIMIT			
P006 74....HIGH CRUISE CONTROL LIMIT			
P007 30....LOW CRUISE CONTROL LIMIT			
P024 0.....AUTO RETARDER IN CRUISE			
P008 L.....ENGINE RETARDER MODE			
P050 0.....ENG RETARDR MIN VEHICLE SPD			
P051 2.....AUTO RET IN CRUISE INCREMENT			
P009 1.....IDLE SPEED LIMIT			
P010 1400..IDLE RPM LIMIT			
P021 0.....IDLE SHUTDOWN TIME (MIN.)			
P022 W.....ENGINE MONITORING MODE			
P032 Y.....ALLOW IDLE SHUTDOWN OVERRIDE			
DELCO REMY 130 AMP ALT 22SI	U	0	0
DELCO REMY 12V STARTER	U	0	0
NLA*W/ORDRS SCHED 11/6/06*USE 2522870 (2) PACCAR PREMIUM 12V STARTING	P		0
BATTERIES - 2000 CCA			
BORGWARNER FAN CLUTCH (VISCIOUS)	U		35-
C7			
BENDIX 13.2 CFM AIR COMP	U	0	0
C7			
SPIN-ON FUEL FILTER FRM MTD	U	0	0
C7 (MEDIUM DUTY MODELS)			
LOW COOLANT LEVEL SENSOR	U		0
C7/C10/C11/C12/C13/C15			
HIGH EFFICIENCY COOLING SYSTEM	P	0	0
DNLDSN RADIAL SEAL/DRY TYPE AIR CLNR	P	0	0
W/FRONTAL AIR INTAKE			
SGL 5" EXHAUST VERT RESILIENT CAB MTD	U		13
SGL CHROME MUFFLER ELBOW	U		0
SGL EXHAUST GUARD STAINLESS STEEL	P	0	11
CAB MTD EXH			
SGL CURVED CHRMD STANDPIPE	U		0
36" STANDPIPE	U	0	0
(MEDIUM DUTY MODELS ONLY)			
* DLR NOTE: DUE TO VERTICAL CAB MOUNTED EXHAUST, CHASSIS EXCEEDS 96" WIDTH REQUIREMENT. CALCULATED STANDPIPE HEIGHT IS 119.5"			

TRANSMISSION AND CLUTCH

96" WIDTH REQUIREMENT.
CALCULATED STANDPIPE HEIGHT IS 119.5"

TRANSMISSION AND CLUTCH

FULLER FRO11210C	10 SPEED	U		265
1710 HD DRIVELINE W/1	M/S BRG	P	0	0
EATON FULLER 14" CLUTCH 2 PLT S.A.S.		U		0
CERAMIC DAMP/2000# PLT/900 TORQ				
MANUAL ADJUST CLUTCH W/GREASE BEARING		U	0	0
AIR AND TRAILER EQUIPMENT				
BENDIX AD-IS	AIR DRYER W/HTR	P		35
NYLON	CHASSIS HOSE	P	0	0
STEEL PAINTED AIR TANKS		P	0	0
CLEAR OUTSIDE FRAME OF ALL AIR SYSTEM		P	0	0
COMPONENTS LH BOC				
CLEAR INSIDE FRAME OF ALL AIR SYSTEM		P	0	0
COMPONENTS LH BOC				
BODY CONNECTIONS 5FT BOC		P		4
TIRES AND WHEELS				
FF: BR 16PLY 12R22.5	R250F	U		33
PART: BR12R225HR250F	FET: 74			
RR: BR 14PLY 11R22.5	M711	P		72
PART: BR11R225GM711	FET: 200			
CODE-REAR TIRE QTY 08.				
FF: ACCUR 28828	PLT 22.5X8.25 STL WHL	P		15
HEAVY DUTY				
RR: ACCUR 28828	PLT 22.5X8.25 STL WHL	U		60
HEAVY DUTY				
CODE-REAR RIM QTY 08.				
FUEL TANKS				
23" ALUM	50 GAL FUEL TANK RH U/C	P		126-
LOCATION RH UNDER CAB	050 GAL.			
(1) NON-SLIP FUEL TANK STEP RH U/C		P	0	0
BATTERY BOX AND BUMPER				
ALUM BATT BOX W/NON-SLIP STEP LH U/C		P		55-
STEEL STYLED AERO BUMPER CHROME		P		0
W/CENTER TOW HOOK				
CAB AND EQUIPMENT				
ALUM CAB 108" BBC METTON HOOD		P	0	0
W/BRIGHT FINISH CROWN				
KEY ALL UNITS ALIKE		P		0
USE NARRATIVE IF SPECIFIC KEY # DESIRED				
SEVERE SERVICE CAB	PACKAGE #1	P		40
* KEY G-101 *				
DRVR PBILT ULTRARIDE HIBACK VINYL AIR		P		13-
PASS PBILT ULTRARIDE HIBACK VINYL		P		75
NON-AIR				
ARM REST RH ONLY	DRVR SEAT	P		2
3-PT SEAT BLT/SHLDR HARNESS DRVR/PASS		P	0	0
18" (4) SPOKE STRG WHL FOAM		P	0	0
(SOFT TOUCH)				

VANTAGE INTERIOR GREY / BLACK	P	0	0
DAY CAB REAR WINDOW	P	0	0
DARK WINDOW TINT IPO STD - DAY CAB	P	9	0
VIEW WINDOW RH DOOR	P	0	0
COMBO FRESH AIR HEATER/AIR CONDITIONER	P	0	0
OUTSIDE SUNVISOR STNLS STEEL	P		4
STNLS STL MIRRORS 7"X16"	P	0	0
CONVEX MIRROR OVER RH DOOR	P	0	0
(2) CONVEX 8" SS MIRROR	P		2
CENTER MTD UNDER MIRROR BRKT			
(1) AIR HORN 24.5" CHROME - ROUND	P		4
INCLUDES POLISHED HORN SHIELD			
PANASONIC AM/FM/WEATHERBAND	P		11
W/(2) SPEAKERS			
PLUG-IN AUTO RESET CIRCUIT BRKR	P		0
IPO FUSES IN JUNCTION BOX			
PB ELEC WINDSHIELD WIPERS	P	0	0
W/INTERMITTENT FEATURE			
CIGAR LIGHTER & ASHTRAY	P	0	0
INSTRUMENT PACKAGE "A"	P	0	0
STD WARNING LIGHT PACKAGE	P	0	0
(3) ADDITIONAL TOGGLE SWITCHES	P		0
HEADLIGHTS COMPOSITE FENDER MOUNTED	P	0	0
W/INTEGRAL PARK, TURN, & SIDE MARKER			
MARKER LIGHTS (5) BUS LED BULLET	P		0